

Online Booking Hyundai

- [Paramètres Url](#)
- [Setup](#)

Paramètres Url

The parameter "params" is used for autocomplation. This parameter contains others sub-parameters :

- "immat" without "-", For exemple immat = fb329xr
- "firstname"
- "lastname"
- "email"
- "phone"

You need to use ";" to separate each sub-parameters

Exemple URL with all parameters :

```
?utm_medium=email&utm_source=actito&utm_campaign=XXXXXX&utm_term=PUID&utm_content={Convaincus}_{high}_{high}_{high}_{high}_{high}_{high}_{high}_{high}_{low}_{low}_{low}_{low}_{low}_{low}_{low}_{low}_{low}_{low}_{low}_{low}_{medium}&params=immat:fb329xr;firstname:Jonh;lastname:Doe;email:jonh@gmail.com;tel:0666666666;services:batterie,contrat&codesiebel=HF00000
```

If you need to auto select the differents services you can use the sub-parameter "services" in the parameter params

Exemple with services sub-parameter :

```
params=immat:fb329xr;firstname:Jonh;lastname:Doe;email:jonh@gmail.com;tel:0666666666;services:batterie
```

You can add others services with a ',' :

```
services:batterie,contrat
```

Setup

Onlinebooking

This template should help get you started developing with Vue 3 in Vite.

Recommended IDE Setup

[VSCode](#) + [Volar](#) (and disable Vetur) + [TypeScript Vue Plugin \(Volar\)](#).

Customize configuration

See [Vite Configuration Reference](#).

Project Setup

```
pnpm install
```

Compile and Hot-Reload for Development

```
pnpm dev
```

Compile and Minify for Production

```
pnpm build
```

Run Unit Tests with [Vitest](#)

```
pnpm test:unit
```

Run End-to-End Tests with [Cypress](#)

```
pnpm test:e2e:dev
```

This runs the end-to-end tests against the Vite development server. It is much faster than the production build.

But it's still recommended to test the production build with `test:e2e` before deploying (e.g. in CI environments):

```
pnpm build  
pnpm test:e2e
```